



Title:

Certificate of Analysis (CoA)

Date: 2/7/2026
Date Tested: 2/6/2026
Customer: Forge Amino
Testing material: BPC-157 + TB-500
Lot Number: FA-BPTB012601
BT Sample ID: 005000038768400
Labeled Peptide
Content/Potency: 10 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, white plastic cap.
Labeled as: Wolverine
Manufacturer: Forge Amino
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	White powder	White powder
Mass	USP <41>	As recorded	162.3 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of BPC-157 + TB-500 with addition of excipient(s)/fillers such as mannitol.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 95 – 105% of 10 mg	TB-500 8 mg (80.1 %) BPC-157 11 mg (110.3 %)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.



Andrea Castro, AS
Scientist-I
BTLabs




Verna Zheng, AS
Scientist-I
BTLabs




Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Wolverine Lot FA-BPTB012601



HPLC Purity and Potency Assay @ 220 nm: Wolverine Lot FA-BPTB012601



BPC-157 + TB-500 Lot FA-BPTB012601 @ 220 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	1.76	6068.4
2	3.777	4292.5



Report #:

IF-824-QSA-TR008-2026-53-02

Page 1 of 1

Title:

Certificate of Analysis (CoA)

Bacterial Endotoxins Test (ABI- TEST 0012)

Date: 2/8/2026
Date Tested: 2/6/2026
Customer: Forge Amino
Testing material: BPC-157 + TB-500
Lot Number: FA-BPTB012601
BT Sample ID: 005000038768400
Labeled Peptide Content/Potency: 162.3 mg
Storage: R.T.
Packing material: small clear vial: white sample, white label, silver crimp, white plastic cap.
Labeled as: Wolverine
Manufacturer: Forge Amino
Testing Purpose: (ABI-TEST 0012) test quantifies bacterial endotoxin levels to confirm that the product does not elicit pyrogenic reactions, maintaining patient safety and product integrity.

Test	Method	Specification	Result
Bacterial Endotoxins Test	USP <85>	40 EU/vial reconstituted	PASS

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Bacterial Endotoxins Test Wolverine Lot FA-BPTB012601

Sample ID	Description	Volume (mL)	Endotoxin Limit (EU/vial)	Lysate Sensitivity (λ, EU/mL)	Result
005000038768400	BPC-157 + TB-500	3	40 EU/vial	0.25	7.7 EU/vial

The sample passed a valid gel clot endotoxin test based on the type, mode of administration and dosage.

Andrea Castro. AS
 Scientist-I
 BTLabs

Verna Zheng. AS
 Scientist-I
 BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
 Phone: (561) 625-0133
 E-mail: info@btlabeltesting.com | Website: <https://btlabeltesting.com>